

LINE	DESCRIPTION	ESTIMATES QUANTITY	MEASURE UNIT OF	PRICE PER MEASURE UNIT	(Not per QUANTITY) extension
Prices for the period 1/1/2014- 12/31/2014					
Bidders must enter a price for each of 79 Lines					
(R & D= Remove and Dispose; F & I= Furnish and Install)					
1	R&D Earth, loam, and unclassified material excavation.	1,500	Cubic Yard	\$ 250.00	\$ 375,000.00
2	F&I selective borrow gravel 2" - 6" depth, including grading & compaction.	1,500	Cubic Yard	\$ 250.00	\$ 375,000.00
3	Trench excavation - Rock 0-5' depth mechanical R&D, 1 CY or greater.	10	Cubic Yard	\$ 1,000.00	\$ 10,000.00
4	Rock excavation, mechanical R&D, 1 CY or greater.	10	Cubic Yard	\$ 500.00	\$ 5,000.00
5	F&I baled hay erosion check. RISTD 9.1.0	300	Linear Feet	\$ 25.00	\$ 7,500.00
6	F&I silt fence. RISTD 9.2.0	300	Linear Feet	\$ 25.00	\$ 7,500.00
7	R&D bales of haybales, stakes, and/or siltfence	200	Linear Feet	\$ 15.00	\$ 3,000.00
8	Saw cutting bituminous pavement up to 3" depth, minimum 300 feet.	300	Linear Feet	\$ 5.00	\$ 1,500.00
9	Chisel cut bituminous paving up to 3"	1,500	Linear Feet	\$ 10.00	\$ 15,000.00
10	R&D of bituminous pavement, 3" depth.	5,000	Square Yard	\$ 50.00	\$ 250,000.00
11	Remove & Recycle existing pavement and place at specified location - Machine grind existing pavement with rotor hammer.	2,000	Square Yard	\$ 50.00	\$ 100,000.00
12	F&I 2" of I-1 bituminous asphalt patch, including remove and dispose of asphalt excavation to four inch depth chisel cutting, select borrow gravel compaction and fine grade. 1-50 square yards individual areas.	49	Square Yard	\$ 1,000.00	\$ 49,000.00
13	F&I 2" of I-1 bituminous asphalt patch, including remove and dispose of asphalt excavation to four inch depth chisel cutting, select borrow gravel compaction and fine grade. 51-99 square yards individual areas.	99	Square Yard	\$ 1,000.00	\$ 99,000.00
14	F&I common borrow gravel 2" - 12" depth, including grading & compaction.	2,000	Square Yard	\$ 50.00	\$ 100,000.00
15	F&I 2" (compacted) bituminous binder course, including fine grading. Individual areas: 100-499 square yards.	499	Square Yard	\$ 100.00	\$ 49,900.00
16	F&I 2" (compacted) bituminous binder course, including fine grading. Individual areas: 500 square yards or greater	700	Square Yard	\$ 100.00	\$ 70,000.00
17	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0. Less than 100 square yards.	99	Square Yard	\$ 150.00	\$ 14,850.00
18	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0. 101-500 square yards.	499	Square Yard	\$ 125.00	\$ 62,375.00
19	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0. Individual areas: 500 square yards or greater	700	Square Yard	\$ 125.00	\$ 87,500.00
20	F&I bituminous lip curb, curb mold to be approved by owner. RISTD 7.5.0 & RISTD 7.5.1	500	Linear Feet	\$ 75.00	\$ 37,500.00
21	F&I joint sealing at all expansion joints, tremco THC-900 or approved equal. Includes joint cleaning preparation, finishing and protection.	300	Linear Feet	\$ 50.00	\$ 15,000.00
22	Crack Seal cleaning, routing, and sealing of cracks in bituminous pavement. RISTD 408	5,000	Linear Feet	\$ 50.00	\$ 250,000.00
23	F&I dumped rockfill Class B Rip-Rap including bedding RISTD 8.3.0	150	Cubic Yard	\$ 250.00	\$ 37,500.00
24	Load, transport, (one mile +/-) and install topsoil, gravel and/or unclassified material from owners stockpile to designated sites, includes grading.	350	Cubic Yard	\$ 250.00	\$ 87,500.00
25	F & I RIP-RAP Stone with Filter Fabric.	60	Square Yard	\$ 100.00	\$ 6,000.00
26	Remove and install new or existing concrete sidewalks, patios, pads, terraces, and/or similar pavements of various widths, lengths and depths. Class B (AE) type 2. 6x6x10 reinforcing wire mesh, include 4' O.C. expansion joints, protections. RISTD 43.1.0. installed at 5" depth	3,000	Square Yard	\$ 150.00	\$ 450,000.00
27	R&D of concrete pavement to 6" depth.	800	Square Yard	\$ 250.00	\$ 200,000.00
28	Saw cutting and/or scoring concrete pavement to 3" depth.	500	Linear Feet	\$ 10.00	\$ 5,000.00
29	F&I - Brick or concrete pavers on sand base, 2 1/4" x 4" x 8"	400	Square Feet	\$ 100.00	\$ 40,000.00
30	F&I 12" flared end pipe, incl. trench excavation, backfill, bedding, compaction and "cut-ins"	1	Each	\$ 10,000.00	\$ 10,000.00
31	F&I 12" Reinforced Concrete Pipe, CL13, Bell and Spigot, including trench excavation, backfill, bedding, compaction and "cut-ins".	100	Linear Feet	\$ 500.00	\$ 50,000.00
32	F&I precast concrete catch basin, 4' diameter, 8" reinf. Slab top, 6' vertical height, including excavation and backfill. RISTD 4.2.0	3	Each	\$ 10,000.00	\$ 30,000.00
33	F&I square frame and grate including brick and mortar adjustment to grade RISTD 6.3.2	2	Each	\$ 2,000.00	\$ 4,000.00
34	F&I round frames and cover including brick and mortar adjustment to grade including utility designation imprinted on cover RISTD 6.2.1	3	Each	\$ 2,000.00	\$ 6,000.00
35	F&I precast drop inlet, including excavation and backfill. RISTD 4.5.0	2	Each	\$ 8,000.00	\$ 16,000.00
36	Reconstruct existing catch basins and manholes. Includes material, excavation, removal of frames/covers and walls, rebuilding walls, resetting frames to grade, backfill and cleanup	15	Vertical Foot	\$ 5,000.00	\$ 75,000.00
37	Enter and/or close catchbasin	3	Each	\$ 8,000.00	\$ 24,000.00
38	F&I precast concrete inlet stone RISTD 7.1.5	2	Linear Feet	\$ 2,000.00	\$ 4,000.00

LINE	DESCRIPTION	ESTIMATES QUANTITY	MEASURE UNIT OF	PRICE PER MEASURE UNIT	extension
Prices for the period 1/1/2014- 12/31/2014					
Bidders must enter a price for each of 79 Lines (R & D= Remove and Dispose; F & I= Furnish and Install)					
				(Not per QUANTITY)	
39	F&I oil seperator in new or existing catch basin/manhole.	1	Each	\$ 2,000.00	\$ 2,000.00
40	F&I new C.I. Valve boxes and cover, adjust to finish grade	2	Each	\$ 2,000.00	\$ 4,000.00
41	Adjust valve boxes to finish grade	7	Each	\$ 500.00	\$ 3,500.00
42	Adjust frames and grates to finish grades with clay brick and mortar	10	Each	\$ 2,000.00	\$ 20,000.00
43	F&I precast concrete electrical handholds Type A including excavation, backfill, ring and cover, ground rod, etc.	1	Each	\$ 8,000.00	\$ 8,000.00
44	F&I precast heavy duty handhole including excavation, backfill, frame and cover, ground rod, base, drill holes, grouting, reinforcing and hardware	2	Each	\$ 10,000.00	\$ 20,000.00
45	F&I two PVC schedule 40 conduits, 1-1/2" diameter including minimum 24" trench excavation, concrete bedding, pull lines, utility marking tape, backfill and compaction.	350	Linear Feet	\$ 250.00	\$ 87,500.00
46	F&I brick or block manhole/catch basin including concrete base brick invert, plastered surface, frame and cover, excavation, backfilling, maximum 8' depth, 6' wide.	1	Each	\$ 20,000.00	\$ 20,000.00
47	PVC Drain Pipe 4" ID., excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$ 100.00	\$ 50,000.00
48	PVC Drain Pipe 6" ID, excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$ 100.00	\$ 50,000.00
49	PVC Drain Pipe 8" ID, excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$ 250.00	\$ 125,000.00
50	PVC Drain Pipe 12" ID, excavation, backfilling, grading to restoration between 2' & 4' depth	50	Linear Feet	\$ 500.00	\$ 25,000.00
51	R&D of existing concrete curbing as directed.	200	Linear Feet	\$ 100.00	\$ 20,000.00
52	F&I precast concrete curb including trenching and backfill.RISTD 7.1.0	1,500	Linear Feet	\$ 100.00	\$ 150,000.00
53	F&I precast concrete radius curb including trenching and backfilling.RISTD 7.1.0	200	Linear Feet	\$ 150.00	\$ 30,000.00
54	F&I 2' precast concrete radius corner curb including trenching and backfilling RISTD 7.1.4	10	Each	\$ 500.00	\$ 5,000.00
55	F&I precast concrete transition curb including trenching and backfilling RISTD 7.1.2	150	Linear Feet	\$ 200.00	\$ 30,000.00
56	Load, haul, and install all types of concrete curb from owner's stockpile to project site as directed by agency, includes excavation, backfill and compaction.	500	Linear Feet	\$ 150.00	\$ 75,000.00
57	Remove, handle, haul, trim, reset curb - straight, circular, and all types. Excavation/Backfill	250	Linear Feet	\$ 200.00	\$ 50,000.00
58	F&I - Concrete slope face transition curb. RISTD 7.2.1	25	Linear Feet	\$ 200.00	\$ 5,000.00
59	F&I - Concrete radius transition curb. RISTD 7.1.0	70	Linear Feet	\$ 200.00	\$ 14,000.00
60	F&I - Concrete slope face transition curb. RISTD 7.2.0	40	Linear Feet	\$ 200.00	\$ 8,000.00
61	F&I- Concrete "curb lock" per RISTD 7.6.0	15	Cubic Feet	\$ 300.00	\$ 4,500.00
62	F&I - Granite Curb - Straight. RISTD 7.3.0	200	Linear Feet	\$ 150.00	\$ 30,000.00
63	F&I - Granite Curb - Radius. RISTD 7.3.0	100	Linear Feet	\$ 200.00	\$ 20,000.00
64	F&I - Granite Curb - Radius Corner. RISTD 7.3.4	2	Each	\$ 500.00	\$ 1,000.00
65	F&I - Granite Inlet Stone. RISTD 7.3.7	2	Each	\$ 750.00	\$ 1,500.00
66	F&I - Granite Transition Curb (6') RISTD 7.3.2	4	Linear Feet	\$ 250.00	\$ 1,000.00
67	Labor to install lime, fertilizer, and seed as specified by RIDOT Specifications in section M.20 L.02 and revisions section L02.03.1, L.02.03.4, L02.03.7 and L02.05 (LABOR ONLY) (LABOR ONLY) (Owner to Supply Materials)	4,500	Square Yard	\$ 10.00	\$ 45,000.00
68	R&D tree 6" diameter to 12" diameter.	2	Each	\$ 2,000.00	\$ 4,000.00
69	R&D of stump - 6" diameter to 12" diameter	2	Each	\$ 2,000.00	\$ 4,000.00
70	R&D tree 13" diameter to 24" diameter.	1	Each	\$ 4,000.00	\$ 4,000.00
71	R&D of stump - 13" diameter to 24" diameter.	1	Each	\$ 4,000.00	\$ 4,000.00
72	R&D tree 25" diameter and above.	1	Each	\$ 6,000.00	\$ 6,000.00
73	R&D of stump 25" diameter and above.	1	Each	\$ 6,000.00	\$ 6,000.00
74	Screen Loam - Sieve to no greater than 3/4" stone. 1- 500 CY	500	Cubic Yards	\$ 100.00	\$ 50,000.00
75	Screen Loam - Sieve to no greater than 3/4" stone. 500 - 1000 CY	700	Cubic Yards	\$ 95.00	\$ 66,500.00
76	D4 Bull Dozer - Furnish Operator & Equipment for work as designated	8	Per Hour	\$ 225.00	\$ 1,800.00
77	Grading - Mold-Board minimum 10' width, furnish operator & eqpt. for work as designated.	8	Per Hour	\$ 295.00	\$ 2,360.00
78	Install parking stripes (2 coats) with approved white traffic paint, w. layout as directed .	500	Linear Feet	\$ 5.00	\$ 2,500.00
79	Labor rate per hour, on site for work not listed above.	8	Hour	\$ 125.00	\$ 1,000.00

LINE	DESCRIPTION	ESTIMATES QUANTITY	MEASURE UNIT OF	PRICE PER MEASURE UNIT	\$
Prices for the period 1/1/2015- 12/31/2015					
Bidders must enter a price for each of 79 Lines (R & D= Remove and Dispose; F & I= Furnish and Install)					
				(Not per QUANTITY)	
1	R&D Earth, loam, and unclassified material excavation.	1,500	Cubic Yard	\$ 265.00	
2	F&I selective borrow gravel 2" - 6" depth, including grading & compaction.	1,500	Cubic Yard	\$ 265.00	
3	Trench excavation - Rock 0-5' depth mechanical R&D, 1 CY or greater.	10	Cubic Yard	\$ 1,055.00	
4	Rock excavation, mechanical R&D, 1 CY or greater.	10	Cubic Yard	\$ 530.00	
5	F&I baled hay erosion check. RISTD 9.1.0	300	Linear Feet	\$ 27.00	
6	F&I silt fence. RISTD 9.2.0	300	Linear Feet	\$ 27.00	
7	R&D bales of haybales, stakes, and/or sillfence	200	Linear Feet	\$ 16.00	
8	Saw cutting bituminous pavement up to 3" depth, minimum 300 feet.	300	Linear Feet	\$ 6.00	
9	Chisel cut bituminous paving up to 3"	1,500	Linear Feet	\$ 11.00	
10	R&D of bituminous pavement, 3" depth.	5,000	Square Yard	\$ 55.00	
11	Remove & Recycle existing pavement and place at specified location - Machine grind existing pavement with rotor hammer.	2,000	Square Yard	\$ 55.00	
	F&I 2" of I-1 bituminous asphalt patch, including remove and dispose of asphalt excavation to four inch depth chisel cutting, select borrow gravel compaction and fine grade. 1-50				

LINE	DESCRIPTION	ESTIMATES QUANTITY	MEASURE UNIT OF	PRICE PER MEASURE UNIT	(Not per QUANTITY) extension
12	square yards individual areas.	49	Square Yard	\$ 1,055.00	
	F&I 2" of I-1 bituminous asphalt patch, including remove and dispose of asphalt excavation to four inch depth chisel cutting, select borrow gravel compaction and fine grade. 51-99				
13	square yards individual areas.	99	Square Yard	\$ 1,055.00	
14	F&I common borrow gravel 2" - 12" depth, including grading & compaction.	2,000	Square Yard	\$ 55.00	
	F&I 2" (compacted) bituminous binder course, including fine grading. Individual areas: 100-				
15	499 square yards.	499	Square Yard	\$ 105.00	
	F&I 2" (compacted) bituminous binder course, including fine grading. Individual areas: 500				
16	square yards or greater	700	Square Yard	\$ 105.00	
	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0.				
17	Less than 100 square yards.	99	Square Yard	\$ 160.00	
	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0.				
18	101-500 square yards.	499	Square Yard	\$ 135.00	
	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0.				
19	Individual areas: 500 square yards or greater	700	Square Yard	\$ 135.00	
20	F&I bituminous lip curb, curb mold to be approved by owner. RISTD 7.5.0 & RISTD 7.5.1	500	Linear Feet	\$ 80.00	
	F&I joint sealing at all expansion joints, tremco THC-900 or approved equal. Includes joint cleaning preparation, finishing and protection.				
21		300	Linear Feet	\$ 55.00	
22	Crack Seal cleaning, routing, and sealing of cracks in bituminous pavement. RISTD 408	5,000	Linear Feet	\$ 55.00	
23	F&I dumped rockfill Class B Rip-Rap including bedding RISTD 8.3.0	150	Cubic Yard	\$ 265.00	
	Load, transport, (one mile +/-) and install topsoil, gravel and/or unclassified material from owners stockpile to designated sites, includes grading.				
24		350	Cubic Yard	\$ 265.00	
25	F & I RIP-RAP Stone with Filter Fabric.	60	Square Yard	\$ 105.00	
	Remove and install new or existing concrete sidewalks, patios, pads, terraces, and/or similar pavements of various widths, lengths and depths. Class B (AE) type 2. 6x6x10 reinforcing .				
26	wire mesh, include 4' O.C. expansion joints, protections. RISTD 43.1.0. installed at 5" depth	3,000	Square Yard	\$ 160.00	
27	R&D of concrete pavement to 6" depth.	800	Square Yard	\$ 265.00	
28	Saw cutting and/or scoring concrete pavement to 3" depth.	500	Linear Feet	\$ 11.00	
29	F&I - Brick or concrete pavers on sand base, 2 1/4" x 4" x 8"	400	Square Feet	\$ 105.00	
30	F&I 12" flared end pipe, incl. trench excavation, backfill, bedding, compaction and "cut-ins"	1	Each	\$ 10,550.00	
	F&I 12" Reinforced Concrete Pipe, CL13, Bell and Spigot, including trench excavation,				
31	backfill, bedding, compaction and "cut-ins".	100	Linear Feet	\$ 530.00	
	F&I precast concrete catch basin, 4' diameter, 8" reinf. Slab top, 6' vertical height, including				
32	excavation and backfill. RISTD 4.2.0	3	Each	\$ 10,550.00	
33	F&I square frame and grate including brick and mortar adjustment to grade RISTD 6.3.2	2	Each	\$ 2,110.00	
	F&I round frames and cover including brick and mortar adjustment to grade including utility designation imprinted on cover RISTD 6.2.1				
34		3	Each	\$ 2,110.00	
35	F&I precast drop inlet, including excavation and backfill. RISTD 4.5.0	2	Each	\$ 8,450.00	
	Reconstruct existing catch basins and manholes. Includes material, excavation, removal				
36	of frames/covers and walls, rebuilding walls, resetting frames to grade, backfill and cleanup	15	Vertical Foot	\$ 5,250.00	
37	Enter and/or close catchbasin	3	Each	\$ 8,450.00	
38	F&I precast concrete inlet stone RISTD 7.1.5	2	Linear Feet	\$ 2,110.00	
39	F&I oil seperator in new or existing catch basin/manhole.	1	Each	\$ 2,110.00	
40	F&I new C.I. Valve boxes and cover, adjust to finish grade	2	Each	\$ 2,110.00	
41	Adjust valve boxes to finish grade	7	Each	\$ 530.00	
42	Adjust frames and grates to finish grades with clay brick and mortar	10	Each	\$ 2,110.00	
	F&I precast concrete electrical handholds Type A including excavation, backfill, ring and				
43	cover, ground rod, etc.	1	Each	\$ 8,450.00	
	F&I precast heavy duty handhole including excavation, backfill, frame and cover, ground rod,				
44	base, drill holes, grouting, reinforcing and hardware	2	Each	\$ 10,550.00	
	F&I two PVC schedule 40 conduits, 1-1/2" diameter including minimum 24" trench				
45	excavation, concrete bedding, pull lines, utility marking tape, backfill and compaction.	350	Linear Feet	\$ 265.00	
	F&I brick or block manhole/catch basin including concrete base brick invert, plastered				
46	surface, frame and cover, excavation, backfilling, maximum 8' depth, 6' wide.	1	Each	\$ 21,050.00	
47	PVC Drain Pipe 4" ID., excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$ 105.00	
48	PVC Drain Pipe 6" ID, excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$ 105.00	
49	PVC Drain Pipe 8" ID, excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$ 265.00	
50	PVC Drain Pipe 12" ID, excavation, backfilling, grading to restoration between 2' & 4' depth	50	Linear Feet	\$ 530.00	
51	R&D of existing concrete curbing as directed.	200	Linear Feet	\$ 105.00	
52	F&I precast concrete curb including trenching and backfill.RISTD 7.1.0	1,500	Linear Feet	\$ 105.00	
53	F&I precast concrete radius curb including trenching and backfilling.RISTD 7.1.0	200	Linear Feet	\$ 160.00	
54	F&I 2' precast concrete radius corner curb including trenching and backfilling RISTD 7.1.4	10	Each	\$ 530.00	
55	F&I precast concrete transition curb including trenching and backfilling RISTD 7.1.2	150	Linear Feet	\$ 210.00	
	Load, haul, and install all types of concrete curb from owner's stockpile to project site as				
56	directed by agency, includes excavation, backfill and compaction.	500	Linear Feet	\$ 160.00	
57	Remove, handle, haul, trim, reset curb - straight, circular, and all types. Excavation/Backfill	250	Linear Feet	\$ 210.00	
58	F&I - Concrete slope face transition curb. RISTD 7.2.1	25	Linear Feet	\$ 210.00	
59	F&I - Concrete radius transition curb. RISTD 7.1.0	70	Linear Feet	\$ 210.00	

LINE	DESCRIPTION	ESTIMATES QUANTITY	MEASURE UNIT OF	PRICE PER MEASURE UNIT	(Not per QUANTITY) extension
Prices for the period 1/1/2014- 12/31/2014					
Bidders must enter a price for each of 79 Lines (R & D= Remove and Dispose; F & I= Furnish and Install)					
60	F&I - Concrete slope face transition curb. RISTD 7.2.0	40	Linear Feet	\$ 210.00	
61	F&I- Concrete "curb lock" per RISTD 7.6.0	15	Cubic Feet	\$ 315.00	
62	F&I - Granite Curb - Straight. RISTD 7.3.0	200	Linear Feet	\$ 160.00	
63	F&I - Granite Curb - Radius. RISTD 7.3.0	100	Linear Feet	\$ 210.00	
64	F&I - Granite Curb - Radius Corner. RISTD 7.3.4	2	Each	\$ 530.00	
65	F&I - Granite Inlet Stone. RISTD 7.3.7	2	Each	\$ 790.00	
66	F&I - Granite Transition Curb (6') RISTD 7.3.2	4	Linear Feet	\$ 265.00	
67	Labor to install lime, fertilizer, and seed as specified by RIDOT Specifications in section M.20 L.02 and revisions section L02.03.1, L.02.03.4, L02.03.7 and L02.05 (LABOR ONLY) (LABOR ONLY) (Owner to Supply Materials)	4,500	Square Yard	\$ 10.55	
68	R&D tree 6" diameter to 12" diameter.	2	Each	\$ 2,100.00	
69	R&D of stump - 6" diameter to 12" diameter	2	Each	\$ 2,100.00	
70	R&D tree 13" diameter to 24" diameter.	1	Each	\$ 4,200.00	
71	R&D of stump - 13" diameter to 24" diameter.	1	Each	\$ 4,200.00	
72	R&D tree 25" diameter and above.	1	Each	\$ 6,300.00	
73	R&D of stump 25" diameter and above.	1	Each	\$ 6,300.00	
74	Screen Loam - Sieve to no greater than 3/4" stone. 1- 500 CY	500	Cubic Yards	\$ 105.00	
75	Screen Loam - Sieve to no greater than 3/4" stone. 500 - 1000 CY	700	Cubic Yards	\$ 100.00	
76	D4 Bull Dozer - Furnish Operator & Equipment for work as designated	8	Per Hour	\$ 240.00	
77	Grading - Mold-Board minimum 10' width, furnish operator & eqpt. for work as designated.	8	Per Hour	\$ 310.00	
78	Install parking stripes (2 coats) with approved white traffic paint, w. layout as directed .	500	Linear Feet	\$ 6.00	
79	Labor rate per hour, on site for work not listed above.	8	Hour	\$ 135.00	

LINE	DESCRIPTION	ESTIMATES QUANTITY	MEASURE UNIT OF	PRICE PER MEASURE UNIT	(Not per QUANTITY)
Prices for the period 1/1/2016- 12/31/2016					
Bidders must enter a price for each of 79 Lines (R & D= Remove and Dispose; F & I= Furnish and Install)					
1	R&D Earth, loam, and unclassified material excavation.	1,500	Cubic Yard	\$ 280.00	
2	F&I selective borrow gravel 2" - 6" depth, including grading & compaction.	1,500	Cubic Yard	\$ 280.00	
3	Trench excavation - Rock 0-5' depth mechanical R&D, 1 CY or greater.	10	Cubic Yard	\$ 1,110.00	
4	Rock excavation, mechanical R&D, 1 CY or greater.	10	Cubic Yard	\$ 555.00	
5	F&I baled hay erosion check. RISTD 9.1.0	300	Linear Feet	\$ 28.00	
6	F&I silt fence. RISTD 9.2.0	300	Linear Feet	\$ 28.00	
7	R&D bales of haybales, stakes, and/or siltfence	200	Linear Feet	\$ 17.00	
8	Saw cutting bituminous pavement up to 3" depth, minimum 300 feet.	300	Linear Feet	\$ 6.00	
9	Chisel cut bituminous paving up to 3"	1,500	Linear Feet	\$ 12.00	
10	R&D of bituminous pavement, 3" depth.	5,000	Square Yard	\$ 56.00	
11	Remove & Recycle existing pavement and place at specified location - Machine grind existing pavement with rotor hammer.	2,000	Square Yard	\$ 56.00	
12	F&I 2" of I-1 bituminous asphalt patch, including remove and dispose of asphalt excavation to four inch depth chisel cutting, select borrow gravel compaction and fine grade. 1-50 square yards individual areas.	49	Square Yard	\$ 1,110.00	
13	F&I 2" of I-1 bituminous asphalt patch, including remove and dispose of asphalt excavation to four inch depth chisel cutting, select borrow gravel compaction and fine grade. 51-99 square yards individual areas.	99	Square Yard	\$ 1,110.00	
14	F&I common borrow gravel 2" - 12" depth, including grading & compaction.	2,000	Square Yard	\$ 56.00	
15	F&I 2" (compacted) bituminous binder course, including fine grading. Individual areas: 100-499 square yards.	499	Square Yard	\$ 110.00	
16	F&I 2" (compacted) bituminous binder course, including fine grading. Individual areas: 500 square yards or greater	700	Square Yard	\$ 110.00	
17	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0. Less than 100 square yards.	99	Square Yard	\$ 170.00	
18	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0. 101-500 square yards.	499	Square Yard	\$ 140.00	
19	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0. Individual areas: 500 square yards or greater	700	Square Yard	\$ 140.00	
20	F&I bituminous lip curb, curb mold to be approved by owner. RISTD 7.5.0 & RISTD 7.5.1	500	Linear Feet	\$ 85.00	
21	F&I joint sealing at all expansion joints, tremco THC-900 or approved equal. Includes joint cleaning preparation, finishing and protection.	300	Linear Feet	\$ 56.00	
22	Crack Seal cleaning, routing, and sealing of cracks in bituminous pavement. RISTD 408	5,000	Linear Feet	\$ 56.00	
23	F&I dumped rockfill Class B Rip-Rap including bedding RISTD 8.3.0	150	Cubic Yard	\$ 280.00	
24	Load, transport, (one mile +/-) and install topsoil, gravel and/or unclassified material from owners stockpile to designated sites, includes grading.	350	Cubic Yard	\$ 280.00	
25	F & I RIP-RAP Stone with Filter Fabric.	60	Square Yard	\$ 110.00	
	Remove and install new or existing concrete sidewalks, patios, pads, terraces, and/or similar pavements of various widths, lengths and depths. Class B (AE) type 2. 6x6x10 reinforcing .				

LINE	DESCRIPTION	ESTIMATES QUANTITY	MEASURE UNIT OF	PRICE PER MEASURE UNIT	(Not per QUANTITY) extension
Prices for the period 1/1/2014- 12/31/2014					
Bidders must enter a price for each of 79 Lines (R & D= Remove and Dispose; F & I= Furnish and Install)					
26	wire mesh, include 4' O.C. expansion joints, protections. RISTD 43.1.0. installed at 5" depth	3,000	Square Yard	\$ 170.00	
27	R&D of concrete pavement to 6" depth.	800	Square Yard	\$ 280.00	
28	Saw cutting and/or scoring concrete pavement to 3" depth.	500	Linear Feet	\$ 11.00	
29	F&I - Brick or concrete pavers on sand base, 2 1/4" x 4" x 8"	400	Square Feet	\$ 110.00	
30	F&I 12" flared end pipe, incl. trench excavation, backfill, bedding, compaction and "cut-ins"	1	Each	\$ 11,100.00	
31	F&I 12" Reinforced Concrete Pipe, CL13, Bell and Spigot, including trench excavation, backfill, bedding, compaction and "cut-ins".	100	Linear Feet	\$ 555.00	
32	F&I precast concrete catch basin, 4' diameter, 8" reinf. Slab top, 6' vertical height, including excavation and backfill. RISTD 4.2.0	3	Each	\$ 11,100.00	
33	F&I square frame and grate including brick and mortar adjustment to grade RISTD 6.3.2	2	Each	\$ 2,225.00	
34	F&I round frames and cover including brick and mortar adjustment to grade including utility designation imprinted on cover RISTD 6.2.1	3	Each	\$ 2,225.00	
35	F&I precast drop inlet, including excavation and backfill. RISTD 4.5.0	2	Each	\$ 8,900.00	
36	Reconstruct existing catch basins and manholes. Includes material, excavation, removal of frames/covers and walls, rebuilding walls, resetting frames to grade, backfill and cleanup	15	Vertical Foot	\$ 5,555.00	
37	Enter and/or close catchbasin	3	Each	\$ 8,900.00	
38	F&I precast concrete inlet stone RISTD 7.1.5	2	Linear Feet	\$ 2,225.00	
39	F&I oil separator in new or existing catch basin/manhole.	1	Each	\$ 2,225.00	
40	F&I new C.I. Valve boxes and cover, adjust to finish grade	2	Each	\$ 2,225.00	
41	Adjust valve boxes to finish grade	7	Each	\$ 555.00	
42	Adjust frames and grates to finish grades with clay brick and mortar	10	Each	\$ 2,225.00	
43	F&I precast concrete electrical handholds Type A including excavation, backfill, ring and cover, ground rod, etc.	1	Each	\$ 8,900.00	
44	F&I precast heavy duty handhole including excavation, backfill, frame and cover, ground rod, base, drill holes, grouting, reinforcing and hardware	2	Each	\$ 11,100.00	
45	F&I two PVC schedule 40 conduits, 1-1/2" diameter including minimum 24" trench excavation, concrete bedding, pull lines, utility marking tape, backfill and compaction.	350	Linear Feet	\$ 280.00	
46	F&I brick or block manhole/catch basin including concrete base brick invert, plastered surface, frame and cover, excavation, backfilling, maximum 8' depth, 6' wide.	1	Each	\$ 22,225.00	
47	PVC Drain Pipe 4" ID., excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$ 110.00	
48	PVC Drain Pipe 6" ID, excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$ 110.00	
49	PVC Drain Pipe 8" ID, excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$ 280.00	
50	PVC Drain Pipe 12" ID, excavation, backfilling, grading to restoration between 2' & 4' depth	50	Linear Feet	\$ 555.00	
51	R&D of existing concrete curbing as directed.	200	Linear Feet	\$ 110.00	
52	F&I precast concrete curb including trenching and backfill.RISTD 7.1.0	1,500	Linear Feet	\$ 110.00	
53	F&I precast concrete radius curb including trenching and backfilling.RISTD 7.1.0	200	Linear Feet	\$ 170.00	
54	F&I 2' precast concrete radius corner curb including trenching and backfilling RISTD 7.1.4	10	Each	\$ 555.00	
55	F&I precast concrete transition curb including trenching and backfilling RISTD 7.1.2	150	Linear Feet	\$ 225.00	
56	Load, haul, and install all types of concrete curb from owner's stockpile to project site as directed by agency, includes excavation, backfill and compaction.	500	Linear Feet	\$ 170.00	
57	Remove, handle, haul, trim, reset curb - straight, circular, and all types. Excavation/Backfill	250	Linear Feet	\$ 225.00	
58	F&I - Concrete slope face transition curb. RISTD 7.2.1	25	Linear Feet	\$ 225.00	
59	F&I - Concrete radius transition curb. RISTD 7.1.0	70	Linear Feet	\$ 225.00	
60	F&I - Concrete slope face transition curb. RISTD 7.2.0	40	Linear Feet	\$ 225.00	
61	F&I- Concrete "curb lock" per RISTD 7.6.0	15	Cubic Feet	\$ 335.00	
62	F&I - Granite Curb - Straight. RISTD 7.3.0	200	Linear Feet	\$ 170.00	
63	F&I - Granite Curb - Radius. RISTD 7.3.0	100	Linear Feet	\$ 225.00	
64	F&I - Granite Curb - Radius Corner. RISTD 7.3.4	2	Each	\$ 555.00	
65	F&I - Granite Inlet Stone. RISTD 7.3.7	2	Each	\$ 835.00	
66	F&I - Granite Transition Curb (6') RISTD 7.3.2	4	Linear Feet	\$ 280.00	
67	Labor to install lime, fertilizer, and seed as specified by RIDOT Specifications in section M.20 L.02 and revisions section L02.03.1, L.02.03.4, L02.03.7 and L02.05 (LABOR ONLY) (LABOR ONLY) (Owner to Supply Materials)	4,500	Square Yard	\$ 12.00	
68	R&D tree 6" diameter to 12" diameter.	2	Each	\$ 2,225.00	
69	R&D of stump - 6" diameter to 12" diameter	2	Each	\$ 2,225.00	
70	R&D tree 13" diameter to 24" diameter.	1	Each	\$ 4,445.00	
71	R&D of stump - 13" diameter to 24" diameter.	1	Each	\$ 4,445.00	
72	R&D tree 25" diameter and above.	1	Each	\$ 6,675.00	
73	R&D of stump 25" diameter and above.	1	Each	\$ 6,675.00	
74	Screen Loam - Sieve to no greater than 3/4" stone. 1- 500 CY	500	Cubic Yards	\$ 110.00	
75	Screen Loam - Sieve to no greater than 3/4" stone. 500 - 1000 CY	700	Cubic Yards	\$ 105.00	
76	D4 Bull Dozer - Furnish Operator & Equipment for work as designated	8	Per Hour	\$ 250.00	
77	Grading - Mold-Board minimum 10' width, furnish operator & eqpt. for work as designated.	8	Per Hour	\$ 330.00	
78	Install parking stripes (2 coats) with approved white traffic paint, w. layout as directed .	500	Linear Feet	\$ 7.00	
79	Labor rate per hour, on site for work not listed above.	8	Hour	\$ 140.00	

LINE	DESCRIPTION	ESTIMATES QUANTITY	MEASURE UNIT OF	PRICE PER MEASURE UNIT
Prices for the period 1/1/2014- 12/31/2014				
Bidders must enter a price for each of 79 Lines				
(R & D= Remove and Dispose; F & I= Furnish and Install)				
				(Not per QUANTITY) extension

Provide all labor, materials and equipment necessary to complete site improvements in accordance with the bid specifications and, when applicable, as specified in the RI DOT Standard for Road and Bridge Construction, latest edition.

The State reserves the right to make one or multiple awards for this requirement.

Pricing will remain fixed for the initial term of this contract award.

Safety: The contractor will protect his work to minimize any danger to the personnel assigned, agency employees, and the public. The work site shall be kept neat at all times. Material Safety Data Sheets (MSDS) will be available at the work site for review as requested.

Workmanship: All work shall be performed by qualified personnel of the trades involved and consistent with industry and regulatory standards. Any existing work or structure that is damaged or altered shall be returned to original condition at no additional cost to the University. The contractor shall guarantee all work for no less than one (1) year after acceptance.

No charges other than parts and labor on the job - No travel, no mileage, no miscellaneous charges, no portal to portal.

Vendor is responsible to comply with all licensing or state permits required for this type of service. In addition to these license requirements, bidder, by submission of this bid, certifies that any/all work related to this bid, and any subsequent award which requires a Rhode Island license(s), shall be performed by an individual(s) holding a valid Rhode Island license

Shop drawings and project work details shall be provided by the agency prior to starting any site improvements.

When applicable, work shall conform to RIDOT Standard Specifications for Road and Bridge Construction, 1997 Cyber Edition and RISTD details, latest edition.

Extra and miscellaneous work shall be performed and paid in accordance with RIDOT Standard specifications for road and bridge construction, Division 1, Section 109- Measurement and Pavement. Written authorization for extra work shall be specified by the owner prior to the start of work.

Vendors are to provide a unit price for each line item per the Unit of Measure (UOM) shown on this disk-based file. A printout of the entries, plus a copy of the electronic file shall be included with the submitted quotation.