

State of Rhode Island and Providence Plantations Contract Offer  
**RIVIP BIDDER CERTIFICATION COVER FORM**

**SECTION 1 - VENDOR INFORMATION**

**Bid/RFP Number:** 7537367A1  
**Bid/RFP Title:** RFQ- Site Improvements, MPA-491 (1 Page)

**Opening Date & Time:** 12/18/2013 2:00 PM

**RIVIP Vendor ID #:** 70819

**Vendor Name:** SITE, LLC

**Address:** 1130 Ten Rod Road  
Suite E-102  
NorthKingstown , RI 02852  
USA

**Telephone:** 401-295-4998

**Fax:** 401-295-4944

**E-Mail:** la@site-ri.com

**Contact Person:** Laura Anthony

**Title:** ProjectCoordinator

**R.I. Foreign Corp #:**

**NOTICE TO VENDORS**

Each bid proposal for a *public works project* must include a "public copy" to be available for public inspection upon the opening of bids. **Bid proposals that do not include a copy for public inspection will be deemed nonresponsive.** For further information on how to comply with this statutory requirement, see R. I. Gen. Laws §§ 37-2-18(b) and (j). Also see Procurement Regulation 5.11, and in addition, for highway and bridge projects, also see Procurement Regulation 5.13, accessible at [www.purchasing.ri.gov](http://www.purchasing.ri.gov).

NOTE: AWARD OF CONTRACTS AND PURCHASE ORDERS SHALL BE SUBJECT, AT THE DISCRETION OF THE PURCHASING AGENT, TO THE OFFEROR COMPLETING AN ON-LINE RIVIP REGISTRATION at [www.purchasing.ri.gov](http://www.purchasing.ri.gov). It is THE RESPONSIBILITY OF THE VENDOR to make on-line corrections/updates using the Vendor maintenance program on the RI Division of Purchases Web Site.

**SECTION 2 – REQUIREMENTS**

**ALL OFFERS ARE SUBJECT TO THE REQUIREMENTS, PROVISIONS AND PROCEDURES CONTAINED IN THIS CERTIFICATION FORM. Offerors are expected to READ, SIGN and COMPLY WITH all requirements. Failure to do so may be grounds for disqualification of the offer contained herein.**

## Section 2.1 - RULES FOR SUBMITTING OFFERS

2.1A. This CERTIFICATION FORM MUST BE ATTACHED IN ITS ENTIRETY TO THE FRONT OF THE OFFER and shall be considered an integral part of each offer made by a vendor to enter into a contract with the State of Rhode Island, Division of Purchases. As such, submittal of the entire Bidder Certification Cover Form, signed by a duly authorized representative of the offeror attesting that he/she (1) has read and agrees to comply with the requirements set forth herein and (2) to the accuracy of the information provided and the offer extended, is a mandatory part of any contract award.

To assure that offers are considered on time, each offer must be submitted with the specific Bid/RFP/LOI number (provided above) and the date and time of opening marked in the upper left hand corner of envelope. Each bid/offer must be submitted in separate sealed envelopes.

A complete, signed (in ink) offer package must be delivered to the Division of Purchases (via any mail or messenger service) by the time and date specified for the opening of responses in a sealed envelope.

Bids must be submitted on the RI bid solicitation forms provided, indicating brand and part numbers of items offered, as appropriate. Bidders must submit detailed cuts and specs on items offered as equivalent to brands requested WITH THE OFFER. Bidders must be able to submit samples if requested. Mail To: Division of Purchases, One Capitol Hill, Second Floor, Providence, RI 02908-5855.

Documents misdirected to other State locations or which are not present in the Division of Purchases at the time of opening for whatever cause will be deemed to be late and will not be considered. For the purposes of this requirement, the official time and date shall be that of the time clock in the Division of Purchases. Postmarks shall not be considered proof of timely submission.

2.1B. RIVIP SOLICITATIONS. To assure maximum access opportunities for users, public bid/RFP solicitations shall be posted on the RIVIP for a minimum of seven days and no amendments shall be made within the last five days before the date an offer is due. Except when access to the Web Site has been severely curtailed and it is determined by the State Purchasing Agent that special circumstances preclude extending a solicitation due date, requests to mail or fax hard copies of solicitations will not be honored. When the result of an Internet solicitation is unsuccessful, the State of Rhode Island will cancel the original solicitation and resolicit the original offer directly from vendors.

2.2. PRICING. Offers are irrevocable for sixty (60) days from the opening date (or such other extended period set forth in the solicitation) and may not be withdrawn, except with the express permission of the State Purchasing Agent. All pricing will be considered to be firm and fixed unless otherwise indicated. The State of Rhode Island is exempt from Federal excise taxes and State Sales and Use Taxes. Such taxes shall not be included in the bid price. PRICES QUOTED ARE FOB DESTINATION.

2.3. DELIVERY and PRODUCT QUALITY. All offers must define delivery dates for all items; if no delivery date is specified, it is assumed that immediate delivery from stock will be made. The contractor will be responsible for delivery of materials in first class condition. Rejected materials will be at vendor's expense.

2.4. PREVAILING WAGE, OSHA SAFETY TRAINING, and APPRENTICESHIP REQUIREMENTS.

Bidders must comply with the provisions of the Rhode Island labor laws, including R. I. Gen. Laws §§ 37-13-1 *et seq.* and occupational safety laws, including R. I. Gen. Laws §§ 28-20-1 *et seq.* These laws mandate for public works construction projects the payment of prevailing wage rates, the implementation and maintenance of occupational safety standards, and for projects with a minimum value of \$1 Million, the employment of apprentices. The successful Bidder must submit certifications of compliance with these laws from each of its subcontractors prior to their commencement of any work. Prevailing wage rates, apprenticeship requirements, and other workforce and safety regulations are accessible at [www.dlt.ri.gov](http://www.dlt.ri.gov).

2.5. PUBLIC RECORDS. Offerors are advised that all materials submitted to the State for consideration in response to this solicitation will be considered without exception to be Public Records pursuant to Title 38 Chapter 2 of the Rhode Island General Laws, and will be released for inspection immediately upon request once an award has been made. Offerors are encouraged to attend public bid/RFP openings to obtain information; however, bid/RFP response summaries may be reviewed after award(s) have been made by using the RIVIP at any time or appearing in person at the Division of Purchases Mondays through Fridays between 8:30 a.m. and 3:30 p.m. Telephone requests for results will not be honored. Written requests for results will only be honored if the information is not available on the RIVIP.

## SECTION 3 - AWARD DETERMINATION

Award will be made to the responsive and responsible offeror quoting the lowest net price in accordance with specifications, for any individual item(s), for major groupings of items, or for all items listed, at the State's sole option.

3.1. BID SURETY. Where bid surety is required, bidder must furnish a bid bond or certified check for 5% of the bid total with the bid, or for such other amount as may be specified. Bids submitted without a required bid surety will not be considered.

3.2. SPECIFICATIONS. Unless specified "no substitute," product offerings equivalent in quality and performance will be considered (at the sole option of the State) on the condition that the offer is accompanied by detailed product specifications. Offers which fail to include alternate specifications may be deemed nonresponsive.

## SECTION 4 – CONTRACT PROVISIONS

4.1. VENDOR AUTHORIZATION TO PROCEED.

4.1A. When a purchase order, change order, contract/agreement or contract/agreement amendment is issued by the RI Division of Purchases, no claim for payment for services rendered or goods delivered contrary to or in excess of the contract terms and scope shall be considered valid unless the vendor has obtained a written change order or contract amendment issued by the Division of Purchases PRIOR TO delivery.

4.1B. Any offer, whether in response to a solicitation for proposals or bids, or made without a solicitation, which is accepted in the form of an order OR Pricing Agreement made in writing by the Purchasing Agent, or a state official with purchasing authority delegated by the Purchasing Agent, shall be considered a binding contract.

4.2. REGULATIONS, GENERAL TERMS AND CONDITIONS GOVERNING STATE CONTRACTS. This solicitation and any contract or purchase order arising from it are issued in accordance with the specific requirements described herein, and the State's Purchasing Laws and Regulations and other applicable State Laws. The Regulations, General Terms and Conditions are incorporated into all state contracts. These regulations and basic information on How To Do Business with the State of Rhode Island are posted on the Rhode Island Vendor Information Program Website ([www.purchasing.ri.gov](http://www.purchasing.ri.gov)).

4.2A. ARRA SUPPLEMENTAL TERMS AND CONDITIONS. Contracts and sub-awards funded in whole or in part by the American Recovery and Reinvestment Act of 2009. Pub.L.No. 111-5 and any amendments thereto, such contracts and sub-awards, shall be subject to the Supplemental Terms and Conditions For Contracts and Sub-awards Funded in Whole or in Part by the American Recovery and Reinvestment Act of 2009. Pub.L.No. 111-5 and any amendments thereto located on the Division of Purchases website at [www.purchasing.ri.gov](http://www.purchasing.ri.gov).

4.3. EQUAL EMPLOYMENT OPPORTUNITY. Compliance certificate and agreement procedures will apply to all awards for supplies or services valued at \$10,000 and more. Minority Business Enterprise policies and procedures, including subcontracting opportunities as described in Title 37 Chapter 14.1, of the Rhode Island General Laws, also apply.

4.4. PERFORMANCE BONDS. Where indicated, successful bidder must furnish a 100% performance bond and labor and payment bond for contracts subject to Title 37 Chapters 12 and 13 of the Rhode Island General Laws. All bonds must be furnished by a surety company authorized to conduct business in the State of Rhode Island. Performance bonds must be submitted within 21 calendar days of the issuance of a tentative notice of award.

4.5. DEFAULT and NON-COMPLIANCE. Default and/or non-compliance with the RIVIP requirements and any other aspects of the award may result in withholding of payment(s), contract termination, debarment, suspension, or any other remedy necessary that is in the best interest of the state.

4.6. COMPLIANCE. Vendor must comply with all applicable federal, state and local laws, regulations and ordinances.

4.7. SPRINKLER IMPAIRMENT AND HOT WORK. The Contractor agrees to comply with the practices of the State's insurance carrier for sprinkler impairment and hot work. Prior to performing any work, the Contractor shall obtain the necessary information for compliance from the Risk Management Office at the Department of Administration or the agency for which work will be performed.

## **SECTION 5 – CERTIFICATIONS AND DISCLOSURES** **ALL CONTRACT AWARDS ARE SUBJECT TO THE FOLLOWING DISCLOSURES & CERTIFICATIONS**

**Offerors must respond to every disclosure statement.**

**A person authorized to enter into contracts must sign the offer and attest to the accuracy of all statements.**

Indicate Yes (Y) or No (N):

N 1. State whether your company, or any owner, stockholder, officer, director, member, partner, or principal thereof, or any subsidiary or affiliated company, has been subject to suspension or debarment by any federal, state, or municipal government agency, or the subject of criminal prosecution, or convicted of a criminal offense within the previous five (5) years. If so, then provide details below.

N 2. State whether your company, or any owner, stockholder, officer, director, member, partner, or principal thereof, or any subsidiary or affiliated company, has had any contracts with a federal, state or municipal government agency terminated for any reason within the previous five (5) years. If so, then provide details below.

Y 3. State whether your company or any owner, stockholder, officer, director, member, partner, or principal thereof, or any subsidiary or affiliated company, has been fined more than \$5000 for violation(s) of Rhode Island environmental laws by the Rhode Island Department of Environmental Management within the previous five (5) years. If so, then provide details below.

Y 4. I/we certify that I/we will immediately disclose, in writing, to the Chief Purchasing Officer any potential conflict of interest, which may occur during the course of the engagement authorized pursuant to this contract.

Y 5. I/we acknowledge that, in accordance with Chapter 37-2-54(c) of the Rhode Island General Laws "no purchase or contract shall be binding on the state or any agency thereof unless approved by the Department [of Administration] or made under general regulations which the Chief Purchasing Officer may prescribe", including change orders and other types of contracts and under State Purchasing Regulation 8.2.1.1.2, "any alleged oral agreement or arrangements made by a bidder or contractor with any agency or an employee of the Office of Purchases may be disregarded and shall not be binding on the state".

Y 6. I/we certify that I/we or my/our firm possesses all licenses required by Federal and State laws and regulations as they pertain to the requirements of the solicitation and offer made herein and shall maintain such required license(s) during the entire course of the contract resulting from the offer contained herein and should my/our license lapse or be suspended, I/we shall immediately inform the Rhode Island State Purchasing Agent in writing of such circumstance.

Y 7. I/we certify that I/we will maintain required insurance during the entire course of the contract resulting from the offer contained herein and should my/our insurance lapse or be suspended, I/we shall immediately inform the Rhode Island State Purchasing Agent in writing of such circumstance.

Y 8. I/we certify that I/we understand that falsification of any information herein or failure to notify the Rhode Island State Purchasing Agent as certified herein may be grounds for suspension, debarment and/or prosecution for fraud.

Y 9. I/we acknowledge that the provisions and procedures set forth in this form apply to any contract arising from this offer.

Y 10. I/we acknowledge that I/we understand the State's Purchasing Laws (37-2 of the General Laws of Rhode Island) and Purchasing Regulations and General Terms and Conditions available at the Rhode Island Division of Purchases Website ([www.purchasing.ri.gov](http://www.purchasing.ri.gov)) apply as the governing conditions for any contract or purchase order I/we may receive from the State of Rhode Island, including the offer contained herein.

Y 11. I/We certify that the bidder: (i) is not identified on the General Treasurer's list, created pursuant to R.I. Gen. Laws § 37-2.5-3, as a person or entity engaging in investment activities in Iran described in § 37-2.5-2(b); and (ii) is not engaging in any such investment activities in Iran.

Y 12. I/we certify that the above vendor information is correct and complete.





**December 3, 2013**

**Addendum 1**

**RFP 7537367**

**Site Improvements MPA- 492**

**Closing Date and Time: December 18, 2013, 2:00 PM EST**

**No vendor Questions were submitted by the deadline.**

George Welly

Interdepartmental Project Manager



Bidder Name: SITE, LLC

LINE	DESCRIPTION	ESTIMATES QUANTITY	MEASURE UNIT OF	PRICE PER MEASURE UNIT
<b>Prices for the period 1/1/2014- 12/31/2014</b>				
<b>Bidders must enter a price for each of 79 Lines</b>				
(R & D= Remove and Dispose; F & I= Furnish and Install)				
				(Not per QUANTITY)
1	R&D Earth, loam, and unclassified material excavation.	1,500	Cubic Yard	\$ 11.95
2	F&I selective borrow gravel 2" - 6" depth, including grading & compaction.	1,500	Cubic Yard	\$ 25.00
3	Trench excavation - Rock 0-5' depth mechanical R&D, 1 CY or greater.	10	Cubic Yard	\$ 146.00
4	Rock excavation, mechanical R&D, 1 CY or greater.	10	Cubic Yard	\$ 125.00
5	F&I baled hay erosion check. RISTD 9.1.0	300	Linear Feet	\$ 5.00
6	F&I silt fence. RISTD 9.2.0	300	Linear Feet	\$ 4.00
7	R&D bales of haybales, stakes, and/or siltfence	200	Linear Feet	\$ 2.00
8	Saw cutting bituminous pavement up to 3" depth, minimum 300 feet.	300	Linear Feet	\$ 1.50
9	Chisel cut bituminous paving up to 3"	1,500	Linear Feet	\$ 2.50
10	R&D of bituminous pavement, 3" depth.	5,000	Square Yard	\$ 3.00
11	Remove & Recycle existing pavement and place at specified location - Machine grind existing pavement with rotor hammer.	2,000	Square Yard	\$ 3.00
12	F&I 2" of I-1 bituminous asphalt patch, including remove and dispose of asphalt excavation to four inch depth chisel cutting, select borrow gravel compaction and fine grade. 1-50 square yards individual areas.	49	Square Yard	\$ 28.50
13	F&I 2" of I-1 bituminous asphalt patch, including remove and dispose of asphalt excavation to four inch depth chisel cutting, select borrow gravel compaction and fine grade. 51-99 square yards individual areas.	99	Square Yard	\$ 27.00
14	F&I common borrow gravel 2" - 12" depth, including grading & compaction.	2,000	Square Yard	\$ 35.00
15	F&I 2" (compacted) bituminous binder course, including fine grading. Individual areas: 100-499 square yards.	499	Square Yard	\$ 23.50
16	F&I 2" (compacted) bituminous binder course, including fine grading. Individual areas: 500 square yards or greater	700	Square Yard	\$ 18.00
17	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0. Less than 100 square yards.	99	Square Yard	\$ 40.00
18	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0. 101-500 square yards.	499	Square Yard	\$ 36.50
19	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0. Individual areas: 500 square yards or greater	700	Square Yard	\$ 26.50
20	F&I bituminous lip curb, curb mold to be approved by owner. RISTD 7.5.0 & RISTD 7.5.1	500	Linear Feet	\$ 6.00
21	F&I joint sealing at all expansion joints, tremco THC-900 or approved equal. Includes joint cleaning preparation, finishing and protection.	300	Linear Feet	\$ 5.00
22	Crack Seal cleaning, routing, and sealing of cracks in bituminous pavement. RISTD 408	5,000	Linear Feet	\$ 1.10
23	F&I dumped rockfill Class B Rip-Rap including bedding RISTD 8.3.0	150	Cubic Yard	\$ 87.00
24	Load, transport, (one mile +/-) and install topsoil, gravel and/or unclassified material from owners stockpile to designated sites, includes grading.	350	Cubic Yard	\$ 24.50
25	F & I RIP-RAP Stone with Filter Fabric.	60	Square Yard	\$ 45.00
26	Remove and install new or existing concrete sidewalks, patios, pads, terraces, and/or similar pavements of various widths, lengths and depths. Class B (AE) type 2. 6x6x10 reinforcing wire mesh, include 4' O.C. expansion joints, protections. RISTD 43.1.0. installed at 5" depth	3,000	Square Yard	\$ 54.00
27	R&D of concrete pavement to 6" depth.	800	Square Yard	\$ 11.00
28	Saw cutting and/or scoring concrete pavement to 3" depth.	500	Linear Feet	\$ 2.50
29	F&I - Brick or concrete pavers on sand base, 2 1/4" x 4" x 8"	400	Square Feet	\$ 17.50
30	F&I 12" flared end pipe, incl. trench excavation, backfill, bedding, compaction and "cut-ins"	1	Each	\$ 850.00
31	F&I 12" Reinforced Concrete Pipe, CL13, Bell and Spigot, including trench excavation, backfill, bedding, compaction and "cut-ins".	100	Linear Feet	\$ 60.00
32	F&I precast concrete catch basin, 4' diameter, 8" reinf. Slab top, 6' vertical height, including excavation and backfill. RISTD 4.2.0	3	Each	\$ 2,150.00
33	F&I square frame and grate including brick and mortar adjustment to grade RISTD 6.3.2	2	Each	\$ 650.00
34	F&I round frames and cover including brick and mortar adjustment to grade including utility designation imprinted on cover RISTD 6.2.1	3	Each	\$ 650.00
35	F&I precast drop inlet, including excavation and backfill. RISTD 4.5.0	2	Each	\$ 1,580.00
36	Reconstruct existing catch basins and manholes. Includes material, excavation, removal of frames/covers and walls, rebuilding walls, resetting frames to grade, backfill and cleanup	15	Vertical Foot	\$ 475.00
37	Enter and/or close catchbasin	3	Each	\$ 300.00
38	F&I precast concrete inlet stone RISTD 7.1.5	2	Linear Feet	\$ 50.00
39	F&I oil separator in new or existing catch basin/manhole.	1	Each	\$ 700.00
40	F&I new C.I. Valve boxes and cover, adjust to finish grade	2	Each	\$ 250.00
41	Adjust valve boxes to finish grade	7	Each	\$ 150.00
42	Adjust frames and grates to finish grades with clay brick and mortar	10	Each	\$ 300.00
43	F&I precast concrete electrical handholds Type A including excavation, backfill, ring and cover, ground rod, etc.	1	Each	\$ 1,280.00
44	F&I precast heavy duty handhole including excavation, backfill, frame and cover, ground rod, base, drill holes, grouting, reinforcing and hardware	2	Each	\$ 1,650.00
45	F&I two PVC schedule 40 conduits, 1-1/2" diameter including minimum 24" trench excavation, concrete bedding, pull lines, utility marking tape, backfill and compaction.	350	Linear Feet	\$ 18.00

	F&I brick or block manhole/catch basin including concrete base brick invert, plastered surface, frame and cover, excavation, backfilling, maximum 8' depth, 6' wide.	1	Each	\$	5,800.00
46	PVC Drain Pipe 4" ID., excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$	21.00
47	PVC Drain Pipe 6" ID, excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$	22.50
48	PVC Drain Pipe 8" ID, excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$	24.00
49	PVC Drain Pipe 12" ID, excavation, backfilling, grading to restoration between 2' & 4' depth	50	Linear Feet	\$	27.00
50	R&D of existing concrete curbing as directed.	200	Linear Feet	\$	5.00
51	F&I precast concrete curb including trenching and backfill.RISTD 7.1.0	1,500	Linear Feet	\$	20.00
52	F&I precast concrete radius curb including trenching and backfilling.RISTD 7.1.0	200	Linear Feet	\$	24.00
53	F&I 2' precast concrete radius corner curb including trenching and backfilling RISTD 7.1.4	10	Each	\$	220.00
54	F&I precast concrete transition curb including trenching and backfilling RISTD 7.1.2	150	Linear Feet	\$	28.00
55	Load, haul, and install all types of concrete curb from owner's stockpile to project site as directed by agency, includes excavation, backfill and compaction.	500	Linear Feet	\$	15.00
56	Remove, handle, haul, trim, reset curb - straight, circular, and all types. Excavation/Backfill	250	Linear Feet	\$	19.00
57	F&I - Concrete slope face transition curb. RISTD 7.2.1	25	Linear Feet	\$	50.00
58	F&I - Concrete radius transition curb. RISTD 7.1.0	70	Linear Feet	\$	50.00
59	F&I - Concrete slope face transition curb. RISTD 7.2.0	40	Linear Feet	\$	52.00
60	F&I- Concrete "curb lock" per RISTD 7.6.0	15	Cubic Feet	\$	150.00
61	F&I - Granite Curb - Straight. RISTD 7.3.0	200	Linear Feet	\$	40.00
62	F&I - Granite Curb - Radius. RISTD 7.3.0	100	Linear Feet	\$	45.00
63	F&I - Granite Curb - Radius Corner. RISTD 7.3.4	2	Each	\$	170.00
64	F&I - Granite Inlet Stone. RISTD 7.3.7	2	Each	\$	500.00
65	F&I - Granite Transition Curb (6') RISTD 7.3.2	4	Linear Feet	\$	80.00
66	Labor to install lime, fertilizer, and seed as specified by RIDOT Specifications in section M.20 L.02 and revisions section L02.03.1, L.02.03.4, L02.03.7 and L02.05 (LABOR ONLY) (LABOR ONLY) (Owner to Supply Materials)	4,500	Square Yard	\$	1.55
67	R&D tree 6" diameter to 12" diameter.	2	Each	\$	500.00
68	R&D of stump - 6" diameter to 12" diameter	2	Each	\$	150.00
69	R&D tree 13" diameter to 24" diameter.	1	Each	\$	800.00
70	R&D of stump - 13" diameter to 24" diameter.	1	Each	\$	275.00
71	R&D tree 25" diameter and above.	1	Each	\$	1,900.00
72	R&D of stump 25" diameter and above.	1	Each	\$	700.00
73	Screen Loam - Sieve to no greater than 3/4" stone. 1- 500 CY	500	Cubic Yards	\$	7.00
74	Screen Loam - Sieve to no greater than 3/4" stone. 500 - 1000 CY	700	Cubic Yards	\$	6.00
75	D4 Bull Dozer - Furnish Operator & Equipment for work as designated	8	Per Hour	\$	170.00
76	Grading - Mold-Board minimum 10' width, furnish operator & eqpt. for work as designated.	8	Per Hour	\$	250.00
77	Install parking stripes (2 coats) with approved white traffic paint, w. layout as directed .	500	Linear Feet	\$	1.60
78	Labor rate per hour, on site for work not listed above.	8	Hour	\$	72.00
79				\$	24,126.20

ESTIMATES MEASURE PRICE  
 QUANTITY UNIT OF PER MEASURE UNIT

**Prices for the period 1/1/2015- 12/31/2015**

**Bidders must enter a price for each of 79 Lines**

(R & D= Remove and Dispose; F & I= Furnish and Install)

(Not per QUANTITY)

1	R&D Earth, loam, and unclassified material excavation.	1,500	Cubic Yard	\$	12.19
2	F&I selective borrow gravel 2" - 6" depth, including grading & compaction.	1,500	Cubic Yard	\$	25.50
3	Trench excavation - Rock 0-5' depth mechanical R&D, 1 CY or greater.	10	Cubic Yard	\$	148.92
4	Rock excavation, mechanical R&D, 1 CY or greater.	10	Cubic Yard	\$	127.50
5	F&I baled hay erosion check. RISTD 9.1.0	300	Linear Feet	\$	5.10
6	F&I silt fence. RISTD 9.2.0	300	Linear Feet	\$	4.08
7	R&D bales of haybales, stakes, and/or siltfence	200	Linear Feet	\$	2.04
8	Saw cutting bituminous pavement up to 3" depth, minimum 300 feet.	300	Linear Feet	\$	1.53
9	Chisel cut bituminous paving up to 3"	1,500	Linear Feet	\$	2.55
10	R&D of bituminous pavement, 3" depth.	5,000	Square Yard	\$	3.06
11	Remove & Recycle existing pavement and place at specified location - Machine grind existing pavement with rotor hammer.	2,000	Square Yard	\$	3.06
12	F&I 2" of I-1 bituminous asphalt patch, including remove and dispose of asphalt excavation to four inch depth chisel cutting, select borrow gravel compaction and fine grade. 1-50 square yards individual areas.	49	Square Yard	\$	29.07
13	F&I 2" of I-1 bituminous asphalt patch, including remove and dispose of asphalt excavation to four inch depth chisel cutting, select borrow gravel compaction and fine grade. 51-99 square yards individual areas.	99	Square Yard	\$	27.54
14	F&I common borrow gravel 2" - 12" depth, including grading & compaction.	2,000	Square Yard	\$	28.56
15	F&I 2" (compacted) bituminous binder course, including fine grading. Individual areas: 100-499 square yards.	499	Square Yard	\$	27.03
16	F&I 2" (compacted) bituminous binder course, including fine grading. Individual areas: 500 square yards or greater	700	Square Yard	\$	19.69
17	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0. Less than 100 square yards.	99	Square Yard	\$	40.80
18	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0. 101-500 square yards.	499	Square Yard	\$	37.23
19	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0. Individual areas: 500 square yards or greater	700	Square Yard	\$	27.03

20	F&I bituminous lip curb, curb mold to be approved by owner. RISTD 7.5.0 & RISTD 7.5.1	500	Linear Feet	\$ 6.12
21	F&I joint sealing at all expansion joints, tremco THC-900 or approved equal. Includes joint cleaning preparation, finishing and protection.	300	Linear Feet	\$ 5.10
22	Crack Seal cleaning, routing, and sealing of cracks in bituminous pavement. RISTD 408	5,000	Linear Feet	\$ 1.12
23	F&I dumped rockfill Class B Rip-Rap including bedding RISTD 8.3.0	150	Cubic Yard	\$ 88.74
24	Load, transport, (one mile +/-) and install topsoil, gravel and/or unclassified material from owners stockpile to designated sites, includes grading.	350	Cubic Yard	\$ 25.48
25	F & I RIP-RAP Stone with Filter Fabric.	60	Square Yard	\$ 45.90
26	Remove and install new or existing concrete sidewalks, patios, pads, terraces, and/or similar pavements of various widths, lengths and depths. Class B (AE) type 2. 6x6x10 reinforcing . wire mesh, include 4' O.C. expansion joints, protections. RISTD 43.1.0. installed at 5" depth	3,000	Square Yard	\$ 55.08
27	R&D of concrete pavement to 6" depth.	800	Square Yard	\$ 11.22
28	Saw cutting and/or scoring concrete pavement to 3" depth.	500	Linear Feet	\$ 2.55
29	F&I - Brick or concrete pavers on sand base, 2 1/4" x 4" x 8"	400	Square Feet	\$ 17.85
30	F&I 12" flared end pipe, incl. trench excavation, backfill, bedding, compaction and "cut-ins"	1	Each	\$ 867.00
31	F&I 12" Reinforced Concrete Pipe, CL13, Bell and Spigot, including trench excavation, backfill, bedding, compaction and "cut-ins".	100	Linear Feet	\$ 61.20
32	F&I precast concrete catch basin, 4' diameter, 8" reinf. Slab top, 6' vertical height, including excavation and backfill. RISTD 4.2.0	3	Each	\$ 2,193.00
33	F&I square frame and grate including brick and mortar adjustment to grade RISTD 6.3.2	2	Each	\$ 663.00
34	F&I round frames and cover including brick and mortar adjustment to grade including utility designation imprinted on cover RISTD 6.2.1	3	Each	\$ 663.00
35	F&I precast drop inlet, including excavation and backfill. RISTD 4.5.0	2	Each	\$ 1,612.00
36	Reconstruct existing catch basins and manholes. Includes material, excavation, removal of frames/covers and walls, rebuilding walls, resetting frames to grade, backfill and cleanup	15	Vertical Foot	\$ 485.00
37	Enter and/or close catchbasin	3	Each	\$ 306.00
38	F&I precast concrete inlet stone RISTD 7.1.5	2	Linear Feet	\$ 51.00
39	F&I oil seperator in new or existing catch basin/manhole.	1	Each	\$ 714.00
40	F&I new C.I. Valve boxes and cover, adjust to finish grade	2	Each	\$ 255.00
41	Adjust valve boxes to finish grade	7	Each	\$ 153.00
42	Adjust frames and grates to finish grades with clay brick and mortar	10	Each	\$ 306.00
43	F&I precast concrete electrical handholds Type A including excavation, backfill, ring and cover, ground rod, etc.	1	Each	\$ 1,306.00
44	F&I precast heavy duty handhole including excavation, backfill, frame and cover, ground rod, base, drill holes, grouting, reinforcing and hardware	2	Each	\$ 1,683.00
45	F&I two PVC schedule 40 conduits, 1-1/2" diameter including minimum 24" trench excavation, concrete bedding, pull lines, utility marking tape, backfill and compaction.	350	Linear Feet	\$ 18.36
46	F&I brick or block manhole/catch basin including concrete base brick invert, plastered surface, frame and cover, excavation, backfilling, maximum 8' depth, 6' wide.	1	Each	\$ 5,916.00
47	PVC Drain Pipe 4" ID., excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$ 21.42
48	PVC Drain Pipe 6" ID, excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$ 22.95
49	PVC Drain Pipe 8" ID, excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$ 24.48
50	PVC Drain Pipe 12" ID, excavation, backfilling, grading to restoration between 2' & 4' depth	50	Linear Feet	\$ 27.54
51	R&D of existing concrete curbing as directed.	200	Linear Feet	\$ 5.10
52	F&I precast concrete curb including trenching and backfill.RISTD 7.1.0	1,500	Linear Feet	\$ 20.40
53	F&I precast concrete radius curb including trenching and backfilling.RISTD 7.1.0	200	Linear Feet	\$ 24.48
54	F&I 2' precast concrete radius corner curb including trenching and backfilling RISTD 7.1.4	10	Each	\$ 224.40
55	F&I precast concrete transition curb including trenching and backfilling RISTD 7.1.2	150	Linear Feet	\$ 28.56
56	Load, haul, and install all types of concrete curb from owner's stockpile to project site as directed by agency, includes excavation, backfill and compaction.	500	Linear Feet	\$ 15.30
57	Remove, handle, haul, trim, reset curb - straight, circular, and all types. Excavation/Backfill	250	Linear Feet	\$ 19.38
58	F&I - Concrete slope face transition curb. RISTD 7.2.1	25	Linear Feet	\$ 51.00
59	F&I - Concrete radius transition curb. RISTD 7.1.0	70	Linear Feet	\$ 51.00
60	F&I - Concrete slope face transition curb. RISTD 7.2.0	40	Linear Feet	\$ 53.04
61	F&I- Concrete "curb lock" per RISTD 7.6.0	15	Cubic Feet	\$ 153.00
62	F&I - Granite Curb - Straight. RISTD 7.3.0	200	Linear Feet	\$ 40.80
63	F&I - Granite Curb - Radius. RISTD 7.3.0	100	Linear Feet	\$ 45.90
64	F&I - Granite Curb - Radius Corner. RISTD 7.3.4	2	Each	\$ 173.40
65	F&I - Granite Inlet Stone. RISTD 7.3.7	2	Each	\$ 510.00
66	F&I - Granite Transition Curb (6') RISTD 7.3.2	4	Linear Feet	\$ 81.60
67	Labor to install lime, fertilizer, and seed as specified by RIDOT Specifications in section M.20 L.02 and revisions section L02.03.1, L.02.03.4, L02.03.7 and L02.05 (LABOR ONLY) (LABOR ONLY) (Owner to Supply Materials)	4,500	Square Yard	\$ 1.58
68	R&D tree 6" diameter to 12" diameter.	2	Each	\$ 510.00
69	R&D of stump - 6" diameter to 12" diameter	2	Each	\$ 153.00
70	R&D tree 13" diameter to 24" diameter.	1	Each	\$ 816.00
71	R&D of stump - 13" diameter to 24" diameter.	1	Each	\$ 280.50
72	R&D tree 25" diameter and above.	1	Each	\$ 1,938.00
73	R&D of stump 25" diameter and above.	1	Each	\$ 714.00
74	Screen Loam - Sieve to no greater than 3/4" stone. 1- 500 CY	500	Cubic Yards	\$ 7.14
75	Screen Loam - Sieve to no greater than 3/4" stone. 500 - 1000 CY	700	Cubic Yards	\$ 6.12
76	D4 Bull Dozer - Furnish Operator & Equipment for work as designated	8	Per Hour	\$ 173.40
77	Grading - Mold-Board minimum 10' width, furnish operator & eqpt. for work as designated.	8	Per Hour	\$ 255.00

78	Install parking stripes (2 coats) with approved white traffic paint, w. layout as directed .	500	Linear Feet	\$ 1.63
79	Labor rate per hour, on site for work not listed above.	8	Hour	\$ 73.44
				\$ 24,607.76

LINE	DESCRIPTION	ESTIMATES QUANTITY	MEASURE UNIT OF	PRICE PER MEASURE UNIT (Not per QUANTITY)
<b>Prices for the period 1/1/2016- 12/31/2016</b>				
<b>Bidders must enter a price for each of 79 Lines</b>				
(R & D= Remove and Dispose; F & I= Furnish and Install)				
1	R&D Earth, loam, and unclassified material excavation.	1,500	Cubic Yard	\$ 12.43
2	F&I selective borrow gravel 2" - 6" depth, including grading & compaction.	1,500	Cubic Yard	\$ 26.01
3	Trench excavation - Rock 0-5' depth mechanical R&D, 1 CY or greater.	10	Cubic Yard	\$ 151.90
4	Rock excavation, mechanical R&D, 1 CY or greater.	10	Cubic Yard	\$ 130.05
5	F&I baled hay erosion check. RISTD 9.1.0	300	Linear Feet	\$ 5.20
6	F&I silt fence. RISTD 9.2.0	300	Linear Feet	\$ 4.16
7	R&D bales of haybales, stakes, and/or siltfence	200	Linear Feet	\$ 2.08
8	Saw cutting bituminous pavement up to 3" depth, minimum 300 feet.	300	Linear Feet	\$ 1.56
9	Chisel cut bituminous paving up to 3"	1,500	Linear Feet	\$ 2.60
10	R&D of bituminous pavement, 3" depth.	5,000	Square Yard	\$ 3.12
11	Remove & Recycle existing pavement and place at specified location - Machine grind existing pavement with rotor hammer.	2,000	Square Yard	\$ 3.12
12	F&I 2" of 1-1 bituminous asphalt patch, including remove and dispose of asphalt excavation to four inch depth chisel cutting, select borrow gravel compaction and fine grade. 1-50 square yards individual areas.	49	Square Yard	\$ 29.65
13	F&I 2" of 1-1 bituminous asphalt patch, including remove and dispose of asphalt excavation to four inch depth chisel cutting, select borrow gravel compaction and fine grade. 51-99 square yards individual areas.	99	Square Yard	\$ 28.09
14	F&I common borrow gravel 2" - 12" depth, including grading & compaction.	2,000	Square Yard	\$ 29.13
15	F&I 2" (compacted) bituminous binder course, including fine grading. Individual areas: 100-499 square yards.	499	Square Yard	\$ 27.57
16	F&I 2" (compacted) bituminous binder course, including fine grading. Individual areas: 500 square yards or greater	700	Square Yard	\$ 20.08
17	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0. Less than 100 square yards.	99	Square Yard	\$ 41.62
18	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0. 101-500 square yards.	499	Square Yard	\$ 37.97
19	F&I in two courses, 3" bituminous concrete Type I-2 at sidewalk locations RISTD 43.2.0. Individual areas: 500 square yards or greater	700	Square Yard	\$ 27.57
20	F&I bituminous lip curb, curb mold to be approved by owner. RISTD 7.5.0 & RISTD 7.5.1	500	Linear Feet	\$ 6.24
21	F&I joint sealing at all expansion joints, tremco THC-900 or approved equal. Includes joint cleaning preparation, finishing and protection.	300	Linear Feet	\$ 5.20
22	Crack Seal cleaning, routing, and sealing of cracks in bituminous pavement. RISTD 408	5,000	Linear Feet	\$ 1.14
23	F&I dumped rockfill Class B Rip-Rap including bedding RISTD 8.3.0	150	Cubic Yard	\$ 90.51
24	Load, transport, (one mile +/-) and install topsoil, gravel and/or unclassified material from owners stockpile to designated sites, includes grading.	350	Cubic Yard	\$ 25.99
25	F & I RIP-RAP Stone with Filter Fabric.	60	Square Yard	\$ 46.81
26	Remove and install new or existing concrete sidewalks, patios, pads, terraces, and/or similar pavements of various widths, lengths and depths. Class B (AE) type 2. 6x6x10 reinforcing . wire mesh, include 4' O.C. expansion joints, protections. RISTD 43.1.0. installed at 5" depth	3,000	Square Yard	\$ 56.18
27	R&D of concrete pavement to 6" depth.	800	Square Yard	\$ 11.44
28	Saw cutting and/or scoring concrete pavement to 3" depth.	500	Linear Feet	\$ 2.60
29	F&I - Brick or concrete pavers on sand base, 2 1/4" x 4" x 8"	400	Square Feet	\$ 18.21
30	F&I 12" flared end pipe, incl. trench excavation, backfill, bedding, compaction and "cut-ins"	1	Each	\$ 884.34
31	F&I 12" Reinforced Concrete Pipe, CL13, Bell and Spigot, including trench excavation, backfill, bedding, compaction and "cut-ins".	100	Linear Feet	\$ 62.42
32	F&I precast concrete catch basin, 4' diameter, 8" reinf. Slab top, 6' vertical height, including excavation and backfill. RISTD 4.2.0	3	Each	\$ 2,236.86
33	F&I square frame and grate including brick and mortar adjustment to grade RISTD 6.3.2	2	Each	\$ 676.00
34	F&I round frames and cover including brick and mortar adjustment to grade including utility designation imprinted on cover RISTD 6.2.1	3	Each	\$ 676.00
35	F&I precast drop inlet, including excavation and backfill. RISTD 4.5.0	2	Each	\$ 1,644.00
36	Reconstruct existing catch basins and manholes. Includes material, excavation, removal of frames/covers and walls, rebuilding walls, resetting frames to grade, backfill and cleanup	15	Vertical Foot	\$ 495.00
37	Enter and/or close catchbasin	3	Each	\$ 312.00
38	F&I precast concrete inlet stone RISTD 7.1.5	2	Linear Feet	\$ 52.00
39	F&I oil seperator in new or existing catch basin/manhole.	1	Each	\$ 728.00
40	F&I new C.I. Valve boxes and cover, adjust to finish grade	2	Each	\$ 260.00
41	Adjust valve boxes to finish grade	7	Each	\$ 156.00
42	Adjust frames and grates to finish grades with clay brick and mortar	10	Each	\$ 312.00
43	F&I precast concrete electrical handholds Type A including excavation, backfill, ring and cover, ground rod, etc.	1	Each	\$ 1,332.00
44	F&I precast heavy duty handhole including excavation, backfill, frame and cover, ground rod, base, drill holes, grouting, reinforcing and hardware	2	Each	\$ 1,717.00

	F&I two PVC schedule 40 conduits, 1-1/2" diameter including minimum 24" trench excavation, concrete bedding, pull lines, utility marking tape, backfill and compaction.	350	Linear Feet	\$ 18.73
45	F&I brick or block manhole/catch basin including concrete base brick invert, plastered surface, frame and cover, excavation, backfilling, maximum 8' depth, 6' wide.	1	Each	\$ 6,034.00
46	PVC Drain Pipe 4" ID., excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$ 21.84
47	PVC Drain Pipe 6" ID, excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$ 23.41
48	PVC Drain Pipe 8" ID, excavation, backfilling, grading to restoration between 2' and 4' depth	500	Linear Feet	\$ 24.97
49	PVC Drain Pipe 12" ID, excavation, backfilling, grading to restoration between 2' & 4' depth	50	Linear Feet	\$ 41.31
50	R&D of existing concrete curbing as directed.	200	Linear Feet	\$ 5.20
51	F&I precast concrete curb including trenching and backfill.RISTD 7.1.0	1,500	Linear Feet	\$ 20.80
52	F&I precast concrete radius curb including trenching and backfilling.RISTD 7.1.0	200	Linear Feet	\$ 24.97
53	F&I 2' precast concrete radius corner curb including trenching and backfilling RISTD 7.1.4	10	Each	\$ 228.89
54	F&I precast concrete transition curb including trenching and backfilling RISTD 7.1.2	150	Linear Feet	\$ 29.13
55	Load, haul, and install all types of concrete curb from owner's stockpile to project site as directed by agency, includes excavation, backfill and compaction.	500	Linear Feet	\$ 15.60
56	Remove, handle, haul, trim, reset curb - straight, circular, and all types. Excavation/Backfill	250	Linear Feet	\$ 29.07
57	F&I - Concrete slope face transition curb. RISTD 7.2.1	25	Linear Feet	\$ 52.00
58	F&I - Concrete radius transition curb. RISTD 7.1.0	70	Linear Feet	\$ 52.00
59	F&I - Concrete slope face transition curb. RISTD 7.2.0	40	Linear Feet	\$ 54.10
60	F&I- Concrete "curb lock" per RISTD 7.6.0	15	Cubic Feet	\$ 156.00
61	F&I - Granite Curb - Straight. RISTD 7.3.0	200	Linear Feet	\$ 41.61
62	F&I - Granite Curb - Radius. RISTD 7.3.0	100	Linear Feet	\$ 68.85
63	F&I - Granite Curb - Radius Corner. RISTD 7.3.4	2	Each	\$ 176.87
64	F&I - Granite Inlet Stone. RISTD 7.3.7	2	Each	\$ 520.00
65	F&I - Granite Transition Curb (6') RISTD 7.3.2	4	Linear Feet	\$ 83.23
66	Labor to install lime, fertilizer, and seed as specified by RIDOT Specifications in section M.20 L.02 and revisions section L02.03.1, L.02.03.4, L02.03.7 and L02.05 (LABOR ONLY) (LABOR ONLY) (Owner to Supply Materials)	4,500	Square Yard	\$ 1.61
67	R&D tree 6" diameter to 12" diameter.	2	Each	\$ 520.00
68	R&D of stump - 6" diameter to 12" diameter	2	Each	\$ 156.00
69	R&D tree 13" diameter to 24" diameter.	1	Each	\$ 832.00
70	R&D of stump - 13" diameter to 24" diameter.	1	Each	\$ 286.00
71	R&D tree 25" diameter and above.	1	Each	\$ 1,976.00
72	R&D of stump 25" diameter and above.	1	Each	\$ 728.00
73	Screen Loam - Sieve to no greater than 3/4" stone. 1- 500 CY	500	Cubic Yards	\$ 7.28
74	Screen Loam - Sieve to no greater than 3/4" stone. 500 - 1000 CY	700	Cubic Yards	\$ 6.24
75	D4 Bull Dozer - Furnish Operator & Equipment for work as designated	8	Per Hour	\$ 176.87
76	Grading - Mold-Board minimum 10' width, furnish operator & eqpt. for work as designated.	8	Per Hour	\$ 260.00
77	Install parking stripes (2 coats) with approved white traffic paint, w. layout as directed .	500	Linear Feet	\$ 1.66
78	Labor rate per hour, on site for work not listed above.	8	Hour	\$ 74.90
79				\$ 25,140.99

**BLANKET REQUIREMENTS: 01/01/2014 - 12/31/2016**

Provide all labor, materials and equipment necessary to complete site improvements in accordance with the bid specifications and, when applicable, as specified in the RI DOT Standard for Road and Bridge Construction, latest edition.

The State reserves the right to make one or multiple awards for this requirement.

Pricing will remain fixed for the initial term of this contract award.

Safety: The contractor will protect his work to minimize any danger to the personnel assigned, agency employees, and the public. The work site shall be kept neat at all times. Material Safety Data Sheets (MSDS) will be available at the work site for review as requested.

Workmanship: All work shall be performed by qualified personnel of the trades involved and consistent with industry and regulatory standards. Any existing work or structure that is damaged or altered shall be returned to original condition at no additional cost to the University. The contractor shall guarantee all work for no less than one (1) year after acceptance.

No charges other than parts and labor on the job - No travel, no mileage, no miscellaneous charges, no portal to portal.

Vendor is responsible to comply with all licensing or state permits required for this type of service. In addition to these license requirements, bidder, by submission of this bid, certifies that any/all work related to this bid, and any subsequent award which requires a Rhode Island license(s), shall be performed by an individual(s) holding a valid Rhode Island license

Shop drawings and project work details shall be provided by the agency prior to starting any site improvements.

When applicable, work shall conform to RIDOT Standard Specifications for Road and Bridge Construction, 1997 Cyber Edition and RISTD details, latest edition.

Extra and miscellaneous work shall be performed and paid in accordance with RIDOT Standard specifications for road and bridge construction, Division 1, Section 109-Measurement and Pavement. Written authorization for extra work shall be specified by the owner prior to the start of work.

**Vendors are to provide a unit price for each line item per the Unit of Measure (UOM) shown on this disk-based file. A printout of the entries, plus a copy of the electronic file shall be included with the submitted quotation.**